



2024
PRODUCT CATALOGUE

ABOUT US

Welcome to SPECCO,

SPECCO is a service company that manufactures and sells power tools, hardware equipment, electro-mechanical equipment. It is a brand affiliated by EXEN group which makes professional production by investing in China and has a sales and marketing network in many countries of the world. EXEN was established in 2015 and is constantly improving itself and bringing its innovative identity to the fore. Due to its high efficiency and low cost, it establishes strong and healthy relationships with its customers in many countries.

Our company has professional knowledge, rich experience, qualified personnel trained in advanced engineering, brand marketing, pre-sales and after-sales professional service. We try our best to provide the best service to our customers.

SPECCO, besides providing brand value, also produces different products with OEM brand products. As a result of our tremendous efforts, we deliver our professional hand tools to the final consumer with high quality, high efficiency, excellent performance and price competitiveness. We also aim to provide environmental protection, high efficiency and quality of life by developing professional tools for our customers. As our management concept, we take the essence of “respect for people, innovative, directing according to market conditions and sustainable trade” as our slogan.


Wisdom, reliability, development constitute our management principle. We are in cooperation with SPECCO as customers, distributors, suppliers and employees, following a mutual win-win policy with our customers, with product innovation and service development, persistently.

OUR VISION

To be a leading technical hardware supply company that always pleases our consumers, customers and employees and makes them smile.

OUR MISSION

In accordance with national and international standards; To reinforce our existence, awareness and continuity by producing and importing products of the best quality, making the customer happy, always desired and sought, with high efficiency, and gaining prestige and trust in the domestic and global market, to create a different new one.





20V BRUSHLESS MOTOR
ALL IN ONE
 CORDLESS TOOLS

20V
 2.0 / 4.0 / 5.0AH

CORDLESS IMPACT DRILL **SP20V-4040**

Voltage: 20V
 Keyless Chuck: 10mm
 Torque Setting: 20+3
 Torque Force: 38Nm
 No Load Speed: 0~450 / 0~1500RPM
 Capacity: Wood 36mm / Steel 10mm
 Weight: 1Kg



CORDLESS IMPACT DRILL **SP20V-4040B**

Voltage: 20V
 Keyless Chuck: 10mm
 Torque Setting: 20+3
 Torque Force: 50Nm
 No Load Speed: 0~450 / 0~1500RPM
 Capacity: Wood 36mm / Steel 10mm
 Weight: 1Kg



CORDLESS IMPACT DRILL

SP20V-4041

PRO

Voltage: 20V
 Keyless Metal Chuck: 13mm
 Torque Setting: 20+3
 Torque Force: 80Nm
 No Load Speed: 0~550 / 0~1800RPM
 Capacity: Wood 36mm / Steel 13mm
 Weight: 1.5Kg

20V BRUSHLESS MOTOR



CORDLESS IMPACT SCREW DRIVER

SP20V-4044B

Voltage: 20V
 Socket Size: 1/4inch
 Torque Force: 230Nm
 Digital Torque Setting
 No Load Speed: 0~2800 / 2100 / 1650RPM
 Transmission Shaft Size: 6/35mm
 Weight: 1.2Kg

20V BRUSHLESS MOTOR



CORDLESS DRIVER & IMPACT WRENCH

SP20V-4044

Voltage: 20V
 Socket Size: 1/2inch
 Torque Force: 280Nm
 Digital Torque Setting
 No Load Speed: 0~2400 / 3000RPM
 Weight: 1.2Kg

20V BRUSHLESS MOTOR



CORDLESS IMPACT WRENCH

SP20V-4050

PRO

Voltage: 20V
 Socket Size: 1/2inch
 Torque Force: 500Nm
 Digital Torque Setting
 No Load Speed: 0~1000 /1600~2200RPM
 Weight: 1.5Kg

20V BRUSHLESS MOTOR



CORDLESS ROTARY HAMMER

SP20V-4047

PRO

Voltage: 20V
 Impact Energy: 2J
 Impact Rate: 4700BPM
 No Load Speed: 0~1400RPM
 4 Working Function
 Accessories: 3Pcs SDS Plus Bits
 Weight: 2.2Kg

20V BRUSHLESS MOTOR



CORDLESS ROTARY HAMMER

SP20V-4049

Voltage: 20V
 Impact Energy: 1.2J
 Impact Rate: 5000BPM
 No Load Speed: 0~900RPM
 4 Working Function
 Accessories: 3Pcs SDS Plus Bits
 Weight: 1.7Kg



CORDLESS ROTARY HAMMER

SP20V-4047B

20V BRUSHLESS MOTOR

Voltage: 20V
 Impact Energy: 1.2J
 Impact Rate: 5000BPM
 No Load Speed: 0~900RPM
 4 Working Function
 Accessories: 3Pcs SDS Plus Bits
 Weight: 1.7Kg




CORDLESS MINI ANGLE GRINDER

SP20V-4042

PRO

20V BRUSHLESS MOTOR

Voltage: 20V
 Disk Size: 115mm
 Spindle Thread: M14
 No Load Speed: 0~5000 / 8500RPM
 Digital Torque Setting
 Soft Start
 Weight: 1.5Kg




CORDLESS MINI ANGLE GRINDER

SP20V-4042B

PRO

20V BRUSHLESS MOTOR

Voltage: 20V
 Disk Size: 115mm
 Spindle Thread: M14
 No Load Speed: 0~5000 / 8500RPM
 Digital Torque Setting
 Soft Start
 Weight: 1.5Kg



CORDLESS HIGH PRESSURE WASHER

SP20V-4048

Voltage: 20V
 Max Pressure: 30 Bar
 Flow: 3.3L/min
 Running Time: Max 30min
 No Load Speed: 0~3300RPM
 Weight: 1Kg



CORDLESS VACUUME BLOWER

SP20V-4046

Voltage: 20V
 Wind Volume: 2.5m³/min
 Wind Speed: 75m/sn
 No Load Speed: 17000RPM
 Weight: 1.3Kg



CORDLESS CHAIN SAW 12 "

SP20V-5057

Voltage: 20V
 Motor Size: 50/25
 Input Power Rate: 800W
 No Load Speed: 3800RPM
 Max Cutting: 250MM
 Emergency Switch Stop
 Lubricant Oil Tank: 120ML
 Weight:4Kg

20V BRUSHLESS MOTOR




CORDLESS PRUNING SHEAR

SP20V-5054

Voltage: 20V
 Motor Size :31*63MM
 Max Cutting Capacity: 30MM
 Blade Open Width: 2 / 2.5 / 3MM Adjustable
 Weight:1Kg

20V BRUSHLESS MOTOR



CORDLESS LINE TRIMMER 30CM

SP20V-5056

Voltage: 20V
 Motor Size :775
 No Load Speed: 7600RPM
 Max Trimmer Diameter: 30MM
 Rotary Handle Plus Telescopic Shaft
 Weight: 2.5Kg




CORDLESS HAND SAW

SP20V-5055

Voltage: 20V
 Input Power: 400W
 No load Speed: 3200RPM
 Max Cutting Diameter:120mm
 Manual Oil Pump: 60ML
 Blade Size: 6"
 Weight:1.7Kg

20V BRUSHLESS MOTOR



CORDLESS RECIPROCATING SAW

SP20V-4045

Voltage: 20V
Stroke Length: 22mm
Keyless Blade Clamp
Variable Speed Trigger
Soft Start
No Load Speed: 0~3300RPM
Weight: 1.7Kg

20V BRUSHLESS MOTOR



CORDLESS JIG SAW

SP20V-5052

Voltage: 20V
Power: 600W
No Load Speed: 500~3000RPM
Depth of Cut: Steel 10mm / Wood 135mm
Stroke Length: 26MM
Weight: 2Kg

20V BRUSHLESS MOTOR



CORDLESS SPOT LIGHT

SP20V-5058

Voltage: 20V
rated Input Power :20W
Max Lum: 1800 lm
Discharge Protection Current:10 A
Include USB Output
Weight:2.5Kg



CORDLESS FAN

SP20V-5059

Voltage: 20V
 Adjustable Angle: 0-360°
 No loads Speed: 1000/1800/2500RPM
 Fan Blade Size: 245mm
 Weight:2.8Kg



FAST CHARGER

SP20V-4010

Voltage: 20V(2.0/4.0Ah)
 Working Voltage: 100~240V
 Output Voltage: 21V
 Output Current: 3.0Ah
 Weight: 0.8Kg



FAST CHARGER

SP20V-4000

Voltage: 20V(2.0/4.0Ah)
 Working Voltage: 100~240V
 Output Voltage: 21V
 Output Current: 3.0Ah
 Weight: 0.4Kg



FAST CHARGER

SP20V-4020

Type: Li-ion Battery Charger
 Working Voltage: 100~240V
 Output Voltage: 21V
 Output Current: 2.0Ah
 Weight: 0.8Kg



Li-ion BATTERY

SP20V-4001

Voltage: 20V
 Battery Capacity: 2.0Ah
 Weight: 0.4Kg



Li-ion BATTERY

SP20V-4002

Voltage: 20V
 Battery Capacity: 4.0Ah
 Weight: 0.7Kg



Li-ion BATTERY

SP20V-4003

Voltage: 20V

Battery Capacity: 5.0Ah

Weight: 0.7Kg



Li-ion BATTERY

SP20V-4005

Voltage: 20V

Battery Capacity: 2.0Ah

Weight: 0.4Kg



Li-ion BATTERY

SP20V-4006

Voltage: 20V

Battery Capacity: 4.0Ah

Weight: 0.7Kg







CORDLESS SCREW DRIVERS DRILLS

3.6~18V

3.6V / 12V / 14.4V / 18V

CORDLESS DRILL 12V

SP12V-4011

Voltage: 12V
 Battery Capacity: 1.5Ah
 Chuck Size: 10mm
 Torque Setting: 17+1
 Torque Force: Max 24N.m
 Battery Charging Time: 3Hrs
 No Load Speed: 0~400 / 0~1350RPM
 Capacity: Wood 20mm / Steel 10mm
 Weight: 1.3Kg



CORDLESS DRILL 12V

SP12V-4012

Voltage: 12V
 Battery Capacity: 1.5Ah
 Chuck Size: 10mm
 Torque Setting: 17+1
 Torque Force: Max 24N.m
 Battery Charging Time: 3Hrs
 No Load Speed: 0~400 / 0~1350RPM
 Capacity: Wood 20mm / Steel 10mm
 Weight: 1.3Kg



CORDLESS DRIVER DRILL 14.4V **SP14.4V-4021**

Voltage: 14.4V
 Battery Capacity: 1.5Ah
 Chuck Size: 10mm
 Torque Setting: 17+1
 Torque Force: Max 26N.m
 Battery Charging Time: 1Hrs
 No Load Speed: 0~400 / 0~1350RPM
 Capacity: Wood 20mm / Steel 10mm
 Weight: 1.5Kg



IMPACT CORDLESS DRILL 18V **SP18V-4026** **PRO**

Voltage: 18V
 Battery Capacity: 1.5Ah
 Chuck Size: 10mm
 Torque Setting: 18+3
 Torque Force: Max 32N.m
 Battery Charging Time: 1Hrs
 No Load Speed: 0~400 / 0~1350RPM
 Capacity: Wood 20mm / Steel 10mm
 Weight: 1.5Kg



CORDLESS SCREW DRIVER **SP3.6V-3011**

Voltage: 3.6V
 Battery Capacity: 1.5Ah
 Torque Force: 3N.m
 Running Time: 3Saat
 No Load Speed: 150RPM
 Accessories: 33Pcs
 Weight: 0.4Kg









specco

specco

specco

specco

PATENTED

R

PROFESSIONAL POWER TOOLS

220V

ELECTRIC DRILL 450W

SP-6011

Power: 450W
Drill Chuck: 6.5mm
No Load Speed: 3500RPM
Voltage: 220~240V
Frequency: 50~60Hz
Weight: 1Kg



ELECTRIC DRILL 450W

SP-6020

Power: 450W
Drill Chuck: 10mm
No Load Speed: 3300RPM
Voltage: 220~240V
Frequency: 50~60Hz
Weight: 1.3Kg



ELECTRIC IMPACT DRILL 650W

SP-6021

Power: 650W
 Metal Chuck: 13mm
 No Load Speed: 2800RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 650W

SP-6021A

Power: 650W
 Drill Chuck: 13mm
 No Load Speed: 2800RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 710W

SP-6015

Power: 710W
 Voltage: 220~240V
 Frequency: 50~60Hz
 NO-Load Speed: 2800RPM
 keyless Chuck: 13mm
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 710W

SP-6015A

Power: 710W
 Voltage: 220~240V
 Frequency: 50~60Hz
 NO-Load Speed: 2800RPM
 keyless Chuck: 13mm
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 750W

SP-6014A

PRO

Power: 750W
 Drill Chuck: 13mm
 No Load Speed: 2800RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 850W

SP-6022

Power: 850W
 Metal Chuck: 13mm
 No Load Speed: 2800RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.8Kg



ELECTRIC IMPACT DRILL 850W

SP-6022A

Power: 850W
 Metal Chuck: 13mm
 No Load Speed: 2800RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.7Kg



ELECTRIC IMPACT DRILL 850W

SP-6016

PRO

Power: 850W
 Voltage: 220~240V
 Frequency: 50~60Hz
 NO-Load Speed: 28000RPM
 keyless Chuck: 13mm
 Weight: 1.6Kg



ELECTRIC IMPACT DRILL 850W

SP-6016A

PRO

Power: 850W
 Voltage: 220~240V
 Frequency: 50~60Hz
 NO-Load Speed: 28000RPM
 keyless Chuck: 13mm
 Weight: 1.6Kg



DISCOVER THE POWER





ROTARY HAMMER 24MM

SP-7010A

Power: 700W / 2.2J
 Tool Holder: 24mm
 No Load Speed: 870RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 2.5Kg



ROTARY HAMMER 26MM

SP-7010

Power: 850W / 3J
 Tool Holder: 26mm
 No Load Speed: 1100RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 3Kg



ROTARY HAMMER 26MM

SP-7011

Power: 850W / 3J
 Tool Holder: 26mm
 No Load Speed: 1100RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 3Kg



ROTARY HAMMER 28MM

SP-7012

Power: 1100W / 4.5J
 Tool Holder: 28mm
 No Load Speed: 770RPM
 Impact Rate: 4200BPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 4.8Kg



ROTARY HAMMER 36MM

SP-7013

Power: 1650W / 6J
 Tool Holder: 36mm
 No Load Speed: 800RPM
 Impact Rate: 4200BPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 5.2Kg



ROTARY HAMMER 40MM

SP-7014

PRO

Power: 1500W / 10J
 Tool Holder: 40mm
 No Load Speed: 590RPM
 Impact Rate: 4000BPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 7.5Kg



ROTARY HAMMER 40MM

SP-7015

SPEED CONTROL

Power: 1500W / 10J
Impact Rate: 4000BPM
Voltage: 220~240V
Frequency : 50~60Hz
Weight: 7Kg



DEMOLITION HAMMER 7Kg

SP-7020

Power: 1300W / 20J
 Impact Rate: 4000BPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 7Kg



DEMOLITION HAMMER 11Kg

SP-7022

PRO

Power: 1500W / 27J
 Impact Rate: 1200BPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 11Kg



DEMOLITION HAMMER 15.5Kg

SP-7021

Power: 1700W / 55J
 Impact Rate: 1850BPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 15.5Kg







MINI ANGLE GRINDER 680W

SP-5010

Power: 680W
Voltage: 220~240V
Frequency: 50~60Hz
NO-Load Speed: 11000RPM
Disk Size: 115mm
Weight: 2.3Kg



MINI ANGLE GRINDER 680W

SP-5011

Power: 680W
Disk Size: 100mm
No Load Speed: 11000RPM
Voltage: 220~240V
Frequency: 50~60Hz
Weight: 2.3Kg



MINI ANGLE GRINDER 750W

SP-5015


Power: 750W
Disk Size: 115mm
No Load Speed: 11000RPM
Voltage: 220~240V
Frequency : 50~60Hz
Weight: 2Kg



MINI ANGLE GRINDER 900W

SP-5018


Power: 900W
 Disk Size: 115mm
 No Load Speed: 11000d/dak
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 2.3Kg



MINI ANGLE GRINDER 1100W

SP-5017


Power: 1100W
 Disk Size: 115mm
 No Load Speed: 11000d/dak
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 2.3Kg



MINI ANGLE GRINDER 1100W

SP-5017A

Power: 1100W
 Disk Size: 125mm
 No Load Speed: 11000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 2.3Kg





MINI ANGLE GRINDER 1200W

SP-5014

PRO

6 SPEED CONTROL

Power: 1200W
 Disk Size: 125mm
 No Load Speed: 11000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 2.35Kg



ANGLE GRINDER 2000W

SP-5020

Power: 2000W
 Disk Size: 180mm
 No Load Speed: 8000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 4Kg



ANGLE GRINDER 2000W

SP-5021

Power: 2000W
 Disk Size: 230mm
 No Load Speed: 6000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 4Kg



ANGLE GRINDER 2400W

SP-5022


Power: 2400W
 Disk Size: 180mm
 No Load Speed: 8500RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 5.2Kg



ANGLE GRINDER 2400W

SP-5023

Power: 2400W
 Disk Size: 230mm
 No Load Speed: 6000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 5.5Kg



ANGLE GRINDER 2200W

SP-5024


Power: 2200W
 Disk Size: 180mm
 No Load Speed: 8500RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 5.2Kg



ANGLE GRINDER 2200W

SP-5025

Power: 2200W
 Disk Size: 230mm
 No Load Speed: 6000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 5.5Kg




ANGLE GRINDER 2600W

SP-5026

PRO

Power: 2600W
 Disk Size: 180mm
 No Load Speed: 8000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 6.2Kg



ANGLE GRINDER 2600W

SP-5027

PRO

Power: 2600W
 Disk Size: 230mm
 No Load Speed: 6000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 6.2Kg



ELECTRIC POLISHER 1300W

SP-5030

Power: 1300W
 Disk Size: 180mm
 No Load Speed: 600-3000RPM
 Voltage: 220~240V
 Frequency : 50~60Hz
 Weight: 3.2Kg



PALM SANDER 280W

SP-9020

Power: 280W
 Sanding Plate Size: 100*110mm
 No Load Speed: 14500RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Accessories: 3 Sanding Pad
 Weight: 1.2Kg



ELECTRIC SANDER 320W

SP-9021

Power: 320W
 Sanding Plate Size: 90*180mm
 No Load Speed: 14000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Accessories: 3 Sanding Pad
 Weight: 2Kg



ORBITAL SANDER 400W

SP-9022

Power: 400W
 Sanding Plate Diameter: 125mm
 No Load Speed: 800-13500RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Accessories: 3 Sanding Pad
 Weight: 1.5Kg



ELECTRIC TRIMMER 500W

SP-9030

Power: 500W
 Collet Size: 6mm
 No Load Speed: 32000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 2Kg



ELECTRIC ROUTER 1800W

SP-9031

PRO

Power: 1800W
 Collet Size: 6-8-12-1/4" -1/2" mm
 No Load Speed: 23000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 6Kg



ELECTRIC JIG SAW 800W

SP-9051

PRO

Power: 800W
 Voltage: 240~220V
 Frequency: 60~50Hz
 No Load Speed: 0-2400RPM
 Depth of Cut: Steel 6mm / Wood 65mm
 Weight: 2.5Kg



ELECTRIC PLANER 750W

SP-9040


Power: 750W
 Planing Width: 82mm
 Planing Depth: 2mm
 No Load Speed: 18000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.5Kg



CIRCULAR SAW 185MM

SP-9010

Power: 1600W
 Disk Size : 185mm
 Max Cutting Capacity: 66mm
 No Load Speed: 5300RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 5Kg



CIRCULAR SAW 235MM

SP- 9011

Power: 2200W
 Disk Size : 235mm
 Max Cutting Capacity: 85mm
 No Load Speed: 4000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 8Kg



MITRE SAW 10" 254MM**SP-9060**

Power: 2000W

Size: 10"(254mm)

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 4800RPM

Net Weight: 11Kg

Blade diameter:Ø 254mm

Saw blade bore diameter:Ø36T

Table Tilting Range:L45 ~R45

Saw body tilting range:0~45

Max Cut at:90 × 90 : 70×310mm

0°×45° : 40×210mm

45°×90° : 40×310mm

45°×45° : 70×210mm

**COMPOUND SLIDING MITRE SAW 10"****SP-9061**

Power: 2000W

Size: 10"(254mm)

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 4800RPM

Net Weight: 14Kg

Blade diameter:Ø254mm

Saw blade bore diameter:Ø100T

Table Tilting Range:L45 ~R45

Saw Body Tilting range:0~45

Max Cut at: 0°×90°:70×146mm

0°×45°:46×146mm

45°×90°:70×104mm

45°×45° :35×104mm



VACUUM BLOWER 400W

SP-2010

Power: 400W
 Wind Volume: 3.0M³/min
 No Load Speed: 0~14000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.5Kg



VACUUM BLOWER 600W

SP-2011

Power: 600W
 Wind Volume: 3.0M³/min
 No Load Speed: 0~16000RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.7Kg



ELECTRIC HAND MIXER 1400W

SP-2015

Power: 1400W
 Pad Size: 120mm
 Max Mixing Capacity: 60~100Liter
 No Load Speed: 0~600/0~900RPM
 Tool Connection: M14
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 4.1Kg



ELECTRIC HAND MIXER 1600W

SP-2016

Power: 1600W
 Pad Size: 140mm
 Max Mixing Capacity: 60~100Liter
 No Load Speed: 0~600/0~900RPM
 Tool Connection: M14
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 5.5Kg



BENCH GRINDER 6" 180W

SP- 2075

Power: 180W
 Voltage: 220~240V
 Frequency: 50~60Hz
 No Load Speed: 2950 RPM
 Wheel Diameter: 6"/150mm
 Weight: 5.5Kg



BENCH GRINDER 8" 350W

SP- 2076

Power: 350W
 Voltage: 220~240V
 Frequency: 50~60Hz
 No Load Speed: 2950 RPM
 Wheel Diameter: 8"/200mm
 Weight: 11Kg



HIGH PRESSURE WASHER 105BAR

SP- 2017

Power: 1400W
 Max Pressure: 105Bar
 Flow: 5L /min
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 6.5Kg



HIGH PRESSURE WASHER 135BAR

SP- 2018

Power: 1650W
 Max Pressure: 135Bar
 Flow: 5L /min
 Voltage: 220~240V
 Weight: 7.4Kg



HIGH PRESSURE WASHER 160BAR

SP- 2019

Power: 2000W
 Max Pressure: 160Bar
 Flow: 6L /min
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 9Kg



HIGH PRESSURE WASHER 160BAR

SP- 2022

INDUCTION MOTOR

PRO

Power: 2000W
 Max Pressure: 160Bar
 Flow: 6L /min
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 15.8Kg





specco

1.5L/min 2000W 100BAR Universal

HIGH PRESSURE WASHER

MODEL NO. SP-2019

Water Type: Universal
Max Pressure: 100bar
Flow: 1.5L/min
3.0kg

1.5L/min
2000W

ELECTRIC IMPACT WRENCH 900W

SP- 2030

PRO


Power: 900W
 Max Torque : 350Nm
 Socket Size: M14-M22
 No Load Speed: 0-1900RPM
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 3.7Kg



ELECTRIC IMPACT WRENCH 950W

SP- 2031

Power: 950W
 Voltage: 220~240V
 Frequency: 50~60Hz
 Max Torque: 450NM
 Bolt Range: M14 - M22
 NO-Load Speed: 0~2300RPM
 Weight: 3.7Kg



CUT OFF SAW 2500W

SP-2050

Power: 2500W
 Voltaj: 220~240V
 Frekans:50~60Hz
 No Load Speed: 3800RPM
 Disk Size: 355mm
 Weight: 17Kg



CUT OFF SAW 2400W

SP-2051

Power: 2400W
 Voltaj: 220~240V
 Frekans:50~60Hz
 No Load Speed: 3800RPM
 Disk Size: 355mm
 Weight: 17Kg



HEAT GUN SINGLE HANDLE 2000W

SP- 2040A

Power: 2000W
 Temperature: 300-600°C
 Air Output: 300-500L/min
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 0.8Kg



HEAT GUN DOUBLE HANDLE 2000W

SP- 2041

Power: 2000W
 Temperature: 300-600°C
 Air Output: 300-500L/min
 3 Position Switch
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.1Kg



ROTARY KIT 135W 211PCS

SP- 2070

Power: 135W
 Voltage: 220~240V
 Frequency:50~60Hz
 No Load Speed: 0-28000RPM
 Collet Size: 3mm
 Speed Dimmer
 Weight: 0.6Kg
 Accessories: 211Pcs



RECIPROCATING SAW 850W

SP-2055

Power: 850W
 Voltage: 220~240V
 Frequency:50~60Hz
 No Load Speed: 800-3000RPM
 Stroke Length: 20mm
 Weight: 2.8Kg



SHORT NECK DIE GRINDER 650W

SP-5041

Power: 650W
 Voltage: 220~240V
 Frequency: 50~60Hz
 No Load Speed: 5500-30000RPM
 Collet Size: 6mm
 Net Weight: 1.5Kg



LONG NECK DIE GRINDER 650W

SP-5042

Power: 650W
 Voltage: 220~240V
 Frequency: 50~60Hz
 No Load Speed: 5500-30000RPM
 Collet Size: 6mm
 Net Weight: 1.6Kg



ELECTRIC PAINT SPRAYER 550W

SP- 2060

Power: 550W
 Nozzle: 1.5-3mm
 Capacity: 800ML
 Max Viscosity: 100 Din /S
 Max Flow: 800ML/min
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 1.5 Kg



MINI AIR COMPRESSOR 150PSI

SP- 2113

DOUBLE CYLINDER

Power: 200W
 Voltage: 12V DC
 Max. Pressure: 150Psi/11Bar
 Max. Air Flow: 40L/min
 Weight: 2.5Kg



WELDING INVERTER 200A

SP- 8027

Input Voltage: 220~240V
 No Load Speed: 35-50V
 Output Current: 20~200A
 Rated Output Voltage: 20.8-28V
 Max Input Power Capacity: 9.5KVA
 Max Input Current: 43.6A
 Power Factor: 0.75
 Insulation Class: F
 Protection: IP21S
 Electrode Diameter: 1.6~4



WELDING INVERTER 250A

SP- 8028

Input Voltage: 220~240V
 No Load Speed: 35-50V
 Output Current: 20~250A
 Rated Output Voltage: 20.8-30V
 Max Input Power Capacity: 12.8KVA
 Max Input Current: 58.4A
 Power Factor: 0.75
 Insulation Class: F
 Protection: IP21S
 Electrode Diameter: 1.6~5



SOCKET WELDING MACHINE 800W

SP- 2045

Power: 800W
 Socket: 20, 25, 32mm
 Voltage: 220~240V
 Frequency: 50~60Hz
 Working Temp: 0-300°C
 Pipe Range: 20-63mm
 Weight: 1Kg



GASOLINE CHAIN SAW 20" 2400W**SP-3020**

Power: 2400W


Displacement: 58CC

Guid bar: 20"

Tank Capacity: 550ML

Rated Speed: 2800-3200RPM

Net Weight: 6.5Kg

**DRYWALL SANDER 850W****SP-2550**

Power: 850W

Pad Diameter: 225mm

Sander Paper Size: 230mm

Frequency: 50/60Hz

Voltage: 220-240V

Weight: 4.5kg

**INDUSTRIAL VACUUM CLEANER 3000W****SP-2090**

Powerful Motor 3000W (3*1000W) Full Cooper

80L Stainless Steel Tank

Wet& Dry Cleaning

Vacuum Pressure: 20KPA

Weight: 26kg



ELECTRIC HOIST 550W

SP-2540

Power: 550W
 Loading Capacity: 125/250KG
 Loading Length: 20M/10M
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 21Kg



ELECTRIC HOIST 1000W

SP-2541

Power: 1000W
 Loading Capacity: 250/500KG
 Loading Length: 20M/10M
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 31Kg



ELECTRIC HOIST 1300W

SP-2542

Power: 1300W
 Loading Capacity: 400/800KG
 Loading Length: 20M/10M
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 33Kg



ELECTRIC HOIST 1600W

SP-2543

Power: 1600W
 Loading capacity: 600/1200KG
 Loading length: 20M/10M
 Voltage: 220~240V
 Frequency: 50~60Hz
 Weight: 28Kg



PLATE COMPACTOR**SP-2521**

Powerful Motor 6.5hp
 Centrifugal force: 16KN
 Compaction Depth: 30cm
 Max Travel Speed: 20m/min
 Plate Size: 540x450mm
 Vibrating Frequency: 4750VPM
 Weight: 90kg

**POWER TROWEL****SP-2525**

Powerful Motor 6.5 hp
 Rotor Diameter : 91CM
 Number of the Blade Teeth: 4
 Blade Size : 35*15cm (6*14")
 Weight: 78kg

**ELECTRONIC SCALE 30KG****SP-2530**

Operation Weight: 30KG/2G
 Voltage: 220~240V
 Frequency: 50~60Hz
 Table Size: 230*330mm
 Weight: 2.8Kg



ELECTRONIC PLATFORM SCALE 100KG

SP-2531

Maximum Weight: 100kg/20g
 Double Side LED Screen for Better Reading
 Stainless iron table size: 300*400mm
 Include Horizontal Vacuole
 Auto Shut off Function to Save Power
 Weight: 7Kg



ELECTRONIC PLATFORM SCALE 300KG

SP-2532

Maximum Weight: 300kg/50g
 Double Side LED Screen for Better Reading
 Stainless iron table size: 400*500mm
 Include Horizontal Vacuole
 Auto Shut off Function to Save Power
 Weight: 10Kg



HYDRAULIC HAND PALLET TRUCK

**SP-2544
SP-2545**

Size: 550*1200 MM
 Loading Capacity: 2.5T
 Size: 550*1200 MM
 Loading Capacity: 2.5T / 3T



HIGH PRESSURE GREASE PUMP

SP-2510

Tank Capacity: 12L
 Compressed Air: 0.6 - 0.8Mpa
 Pressure Ratio: 50:1
 Transmission Pressure: 30-40Mpa
 Grease Transmission Velocity: 0.85L/Min
 Weight: 12.8kg



COMBINATION PLIERS

ITEM CODE	SPH-1550	SPH-1551	SPH-1552
SIZE	6" (160MM)	7" (180MM)	8" (200MM)

CRV- Black finished
2 Component Plastic Handle



DIAGOLANG CUTTING PLIERS

ITEM CODE	SPH-1553	SPH-1554
SIZE	6" (160MM)	7" (180MM)

CRV- Black finished
2 Component Plastic Handle



LONG NOSE PLIERS

ITEM CODE	SPH-1555	SPH-1556
SIZE	6" (160MM)	8" (200MM)

CRV- Black finished
2 Component Plastic Handle



PVC PIPE CUTTER 7"

ITEM CODE	SPH-1580
SIZE	7"

cutting diameter : 3-42mm(1-1/4")
Aluminium alloy body +SK5 blade +Teflon
Automatic open function



PVC PIPE CUTTER 9"

ITEM CODE	SPH-1581
SIZE	9"

cutting diameter : 3-42mm(1-1/4")
Aluminium alloy body +SK5 blade +Teflon
Automatic open function



HAND RIVETER

ITEM CODE	SPH-1520
SIZE	10.5"

Hardened steel body
Applicable rivet size :2.4/3.2/4/4.8mm
Suitable for PVC/PPR/PU/PE/PEX



LOCKING PLIER CURVED JAW

ITEM CODE	SPH-1510S
SIZE	10"

MAX Opening : 50mm
Nickle plated Finishing



LOCKING PLIER STRAIGHT JAW

ITEM CODE	SPH-1511C
SIZE	10"

MAX Opening : 50mm
Nickle plated Finishing



ADJUSTABLE WRENCH

ITEM CODE	SPH-1530	SPH-1531	SPH-1532
SIZE	8"	10"	12"

Surface bright chrome finishing
Big open jaw



SCREW DRIVER

ITEM CODE	SPH-1610	SPH-1612	SPH-1614
SIZE	SL3*75	SL5*100	SL6*150

CRV Material Hardened Finsihing
Ergonomic handle



SCREW DRIVER

ITEM CODE	SPH-1611	SPH-1613	SPH-1615
SIZE	PH0*75	PH1*100	PH2*150

CRV Material Hardened Finsihing
Ergonomic handle



SCREW DRIVER SET 2PCS

ITEM CODE	SPH-1630
SIZE	SL6*125 PH2*125

CRV Material Hardened Finsihing
Ergonomic handle



SCREW DRIVER SET 4PCS

ITEM CODE	SPH-1631
SIZE	SL5*100 PH1*100 SL6*125 PH2*125

CRV Material Hardened Finishing

Ergonomic handle



MEASURING TAPE

ITEM CODE	SIZE
SPH-1650	3M(3*16MM)
SPH-1651	5M(5*19MM)
SPH-1652	5M(5*25MM)
SPH-1653	7.5M(7.5*25MM)
SPH-1654	10M(10*25MM)

Steel measuring tape

Lock system

NEW ABS material of body



ALUMINUM SPIRIT LEVEL

ITEM CODE	SIZE
SPH-1670	300MM
SPH-1671	400MM
SPH-1672	600MM



LONG HEX KEY SET 9PCS

ITEM CODE	SPH-1540
-----------	----------

Long Arm hex key

Size:1.4/2/2.5/3/4/5/6/8/10 mm

Chrome plated, Heat Treated



LONG TROX KEY SET 9PCS

ITEM CODE	SPH-1542
-----------	----------

Long Arm hex key
Size : T10-T50
Chrome plated, Heat Treated



EXTRA LONG HEX KEY SET 9PCS

ITEM CODE	SPH-1541
-----------	----------

Long Arm hex key
Size:1.4/2/2.5/3/4/5/6/8/10 mm
Chrome plated, Heat Treated



EXTRA LONG TROX KEY SET 9PCS

ITEM CODE	SPH-1543
-----------	----------

Long Arm hex key
Size : T10-T50
Chrome plated, Heat Treated



NITRILE & LATEX SAFETY GLOVES

NAME	ITEMCODE	SIZE
NITRILE PALM COATED	SPH-1570	L
NITRILE PALM COATED	SPH-1571	XL
LATEX COATED GLOVES	SPH-1572	L
LATEX COATED GLOVES	SPH-1573	XL
CUT-5 HPPE GLOVES	SPH-1574	L
CUT-5 HPPE GLOVES	SPH-1575	XL



UTILITY KNIFE CUTTER

SP- 1210

Automatic Blade Lock for Safety
Compact and light with Comfortable grip
ABS Body and 5 Pcs SK5 Blade (18*0.5mm)

 **HAVY DEUTY
EXTRA SHARP**  **AUTO-LOCK**



UTILITY KNIFE CUTTER

SP- 1211

Automatic Blade Lock for Safety
Compact and Light with comfortable Grip
zinc head, Aluminum Handle and 5 Pcs SK5 Blade
(19*0.6mm)

 **HAVY DEUTY
EXTRA SHARP**  **AUTO-LOCK**



UTILITY KNIFE CUTTER

SP- 1212

Automatic blade lock for safety
Compact and light with comfortable grip
HIPS+TPR body and SK5 blade (18*0.5mm)

 **HAVY DEUTY
EXTRA SHARP**  **AUTO-LOCK**



CUTTING AND GRINDING WHEELS


Use For

Metal, Stone, Granite, Ceramic and Stainless Steel
Top Resin Formulated for Highest Quality @ Safety




DRILL BITS

Concrete, Brick, Masonry
Extremely True Running & Precise Round Holess



CORDLESS POWER BITS

Strong Magnetic Tips
High Facture Strength & Long Life
Extremely True Running & Precise Round



HAMMER BITS

Sds Plus, Sds Max, Hex Bits
Chrome Alloy Steel Shank
Cross Head Carbide Tip, High Quality Carbide Tip
Extremely True Running & Precise Round Holes
Brick, Stone, Concrete, Masonry, Metal





POWER



TOOLS



ISTITUTO SERVIZI EUROPEI TECNOLOGICI

ISET S.r.l. Unipersonale

Sede Legale e Uffici
Via Donatori di sangue, 9 - 46024 Moglia (MN)
Tel. e fax +39 (0)376 598963
www.iset-italia.com commerciale1@iset-italia.com

Cap. soc. i.v. € 10.200,00
Cod. Fisc. e P.IVA Reg. Imprese 02 332 750 369
REA 02 332 750 369
Cap. soc. i.v. MN 0221098

CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)
RITIM YAPI INSAAT VE DIS TIC. LTD. STI
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL
MANUFACTURER:
Zhangjiagang SPECCO tools Co.,Ltd.
Room 414,No.9,Remnin East Road,yangshe Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000420210511
TECHNICAL REFERENCE: RBT210510205MR-1 RBT210510205ER-1
- ISET MARK:**



CAUTION ABOUT CE MARKING (Instruction for the Applicant who puts the product on the EU market):
The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.

- TYPE OF PRODUCT:** Angle grinder
TRADE MARK: 
MODEL(S): SP-5020,SP-5020A,SP-5021,SP-5021A,SP-5022,SP-5022A,SP-5023,SP-5023A,SP-5024,SP-5024A,SP-5025,SP-5025A,SP-5026,SP-5026A,SP-5027,SP-5027A,SP-5028,SP-5028A,SP-5029,SP-5029A
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 60745-2-3:2011/A13:2015, EN 60204-1:2018
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/05/2021 **EXPIRY DATE:** 10/05/2026
- SIGNATURE:** Xiao Ming
(On behalf of the Legal representative)





ISTITUTO SERVIZI EUROPEI TECNOLOGICI

ISET S.r.l. Unipersonale

Sede Legale e Uffici
Via Donatori di sangue, 9 - 46024 Moglia (MN)
Tel. e fax +39 (0)376 598963
www.iset-italia.com commerciale1@iset-italia.com

Cap. soc. i.v. € 10.200,00
Cod. Fisc. e P.IVA Reg. Imprese 02 332 750 369
REA 02 332 750 369
Cap. soc. i.v. MN 0221098

CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)
RITIM YAPI INSAAT VE DIS TIC. LTD. STI
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL
MANUFACTURER: Zhangjiagang SPECCO tools Co.,Ltd.
Room 414,No.9,Remnin East Road,yangshe Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000520210611
TECHNICAL REFERENCE: RBT21061303MR-1/RBT21061303ER-1
- ISET MARK:**



CAUTION ABOUT CE MARKING (Instruction for the Applicant who puts the product on the EU market):
The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.

- TYPE OF PRODUCT:** Cordless drill
TRADE MARK: 
MODEL(S): SP12V-4010,SP12V-4010N,SP12V-4011,SP12V-4012,SP12V-4013,SP12V-4014,SP14V-4020,SP14V-4021,SP14V-4022,SP14V-4023,SP14V-4024,SP18V-4025,SP18V-4026,SP18V-4027,SP18V-4028,SP18V-4029,SP20V-4040,SP20V-4040A,SP20V-4040B,SP20V-4040N,SP20V-4041,SP20V-4041A,SP20V-4041B,SP20V-4041N
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)
Machinery Directive 2006/42/EC; Electromagnetic Compatibility Directive 2014/30/EU
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 62841-2-1:2018/A11:2019
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/06/2021 **EXPIRY DATE:** 10/06/2026
- SIGNATURE:** Xiao Ming
(On behalf of the Legal representative)





ISTITUTO SERVIZI EUROPEI TECNOLOGICI

ISET S.r.l. Unipersonale

Sede Legale e Uffici
Via Donatori di sangue, 9 - 46024 Moglia (MN)
Tel. e fax +39 (0)376 598963
www.iset-italia.com commerciale1@iset-italia.com

Cap. soc. i.v. € 10.200,00
Cod. Fisc. e P.IVA Reg. Imprese 02 332 750 369
REA 02 332 750 369
Cap. soc. i.v. MN 0221098

CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)
RITIM YAPI INSAAT VE DIS TIC. LTD. STI
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL
MANUFACTURER: Zhangjiagang SPECCO tools Co.,Ltd.
Room 414,No.9,Remnin East Road,yangshe Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000520210310
TECHNICAL REFERENCE: --
- ISET MARK:**



CAUTION ABOUT CE MARKING (Instruction for the Applicant who puts the product on the EU market):
The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.

- TYPE OF PRODUCT:** HIGH PRESSURE WASHER
TRADE MARK: 
MODEL(S): SP-2017, SP-2017A, SP-2017B, SP-2017C, SP-2018, SP-2018A, SP-2018B, SP-2018C, SP-2019, SP-2019A, SP-2019B, SP-2019C, SP-2020, SP-2020A, SP-2020B, SP-2020C, SP-2021, SP-2021A, SP-2021B, SP-2021C, SP-2022, SP-2022A, SP-2022B, SP-2022C
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU
EN ISO 12100:2010, EN 60335-1:2012+A11:2014+A13:2017, EN 60335-2-79:2012, EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 62233:2008
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 10/03/2021 **EXPIRY DATE:** 09/03/2026
- SIGNATURE:** Xiao Ming
(On behalf of the Legal representative)





ISTITUTO SERVIZI EUROPEI TECNOLOGICI

ISET S.r.l. Unipersonale

Sede Legale e Uffici
Via Donatori di sangue, 9 - 46024 Moglia (MN)
Tel. e fax +39 (0)376 598963
www.iset-italia.com commerciale1@iset-italia.com

Cap. soc. i.v. € 10.200,00
Cod. Fisc. e P.IVA Reg. Imprese 02 332 750 369
REA 02 332 750 369
Cap. soc. i.v. MN 0221098

CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)
RITIM YAPI INSAAT VE DIS TIC. LTD. STI
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL
MANUFACTURER: Zhangjiagang SPECCO tools Co.,Ltd.
Room 414,No.9,Remnin East Road,yangshe Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.001020210511
TECHNICAL REFERENCE: RBT210510204MR-1/RBT210510204ER-1
- ISET MARK:**



CAUTION ABOUT CE MARKING (Instruction for the Applicant who puts the product on the EU market):
The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.

- TYPE OF PRODUCT:** Mini Angle grinder
TRADE MARK: 
MODEL(S): SP-5010,SP-5010A,SP-5011,SP-5011A,SP-5012,SP-5012A,SP-5013,SP-5013A,SP-5014,SP-5014A,SP-5015,SP-5015A,SP-5016,SP-5016A,SP-5017,SP-5017A,SP-5018,SP-5018A,SP-5019,SP-5019A
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 60745-2-3:2011/A13:2015, EN 60204-1:2018
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/05/2021 **EXPIRY DATE:** 10/05/2026
- SIGNATURE:** Xiao Ming
(On behalf of the Legal representative)





Website



Catalogue

■ **China Office**

Zhangjiagang Specco Tools Co.,Ltd

4th floor , No.16, Weisan East Road, Tongqin

Industrial Zone, Wuyi City, Zhejiang Province

Mob: +86 139 219 99979 Fax: +86 512 5617888

 @speccotools

 www.speccotools.com

 www.speccotools.com.cn

 info@speccotools.com