



# 2025

PRODUCT CATALOGUE

# ABOUT US

Welcome to SPECCO,

SPECCO is a service company that manufactures and sells power tools, hardware equipment, electro-mechanical equipment. It is a brand affiliated by EXEN group which makes professional production by investing in China and has a sales and marketing network in many countries of the world. EXEN was established in 2015 and is constantly improving itself and bringing its innovative identity to the fore. Due to its high efficiency and low cost, it establishes strong and healthy relationships with its customers in many countries.

Our company has professional knowledge, rich experience, qualified personnel trained in advanced engineering, brand marketing, pre-sales and after-sales professional service. We try our best to provide the best service to our customers.

SPECCO, besides providing brand value, also produces different products with OEM brand products. As a result of our tremendous efforts, we deliver our professional hand tools to the final consumer with high quality, high efficiency, excellent performance and price competitiveness. We also aim to provide environmental protection, high efficiency and quality of life by developing professional tools for our customers. As our management concept, we take the essence of “respect for people, innovative, directing according to market conditions and sustainable trade” as our slogan.


Wisdom, reliability, development constitute our management principle. We are in cooperation with SPECCO as customers, distributors, suppliers and employees, following a mutual win-win policy with our customers, with product innovation and service development, persistently.

## OUR VISION

To be a leading technical hardware supply company that always pleases our consumers, customers and employees and makes them smile.

## OUR MISSION

In accordance with national and international standards; To reinForce our existence, awareness and continuity by producing and importing products of the best quality, making the customer happy, always desired and sought, with high efficiency, and gaining prestige and trust in the domestic and global market, to create a different new one.





**specco**  
Discover The Power







# ALL





**SPECCO**  
20V MAX 4.0Ah

# NO ONE

# 20V **BRUSHLESS** MOTOR

## ALL IN ONE

CORDLESS TOOLS

# 20V

2.0 / 4.0 / 5.0AH

### CORDLESS IMPACT DRILL

**SP20V-4040**

Voltage: 20V  
Keyless Chuck: 10mm  
Torque Setting: 20+3  
Torque Force: 38Nm  
No Load Speed: 0~450 / 0~1500RPM  
Capacity: Wood 36mm / Steel 10mm  
Weight: 1Kg

**20V **BRUSHLESS**  
MOTOR **



### CORDLESS IMPACT DRILL

**SP20V-4040B**

Voltage: 20V  
Keyless Chuck: 10mm  
Torque Setting: 20+3  
Torque Force: 50Nm  
No Load Speed: 0~450 / 0~1500RPM  
Capacity: Wood 36mm / Steel 10mm  
Weight: 1Kg

**20V **BRUSHLESS**  
MOTOR **





## CORDLESS IMPACT DRILL

SP20V-4041

**PRO**

Voltage: 20V  
Keyless Metal Chuck: 13mm  
Torque Setting: 20+3  
Torque Force: 80Nm  
No Load Speed: 0~550 / 0~1800RPM  
Capacity: Wood 36mm / Steel 13mm  
Weight: 1.5Kg

**20V** BRUSHLESS MOTOR



## CORDLESS IMPACT DRILL

SP20V-4041A

**XPOWER**

Voltage: 20V  
Battery Capacity: 2.0 / 4.0 Ah  
Drill Chuck: 13mm  
Max.Torque: 165N.m  
No-Load Speed: 0~550 / 0~1800RPM  
Weight: 1.5Kg

**20V** BRUSHLESS MOTOR



## CORDLESS IMPACT WRENCH

SP20V-4050A

**XPOWER**

Voltage: 20V  
Battery Capacity: 2.0 / 4.0 Ah  
Drive Size: 1/2inch  
Max.Torque: 1200N.m  
No-Load Speed: 0~1000/ 1600~2200RPM  
Weight: 1.5 Kg

**20V** BRUSHLESS MOTOR



## CORDLESS IMPACT SCREW DRIVER

**SP20V-4060B**

Voltage: 20V  
 Torque Force: 220Nm  
 Digital Torque Setting  
 No Load Speed: 0~2800 / 2100 / 1650RPM  
 Transmission Shaft Size: 6/35mm  
 Weight: 1.2Kg

**20V BRUSHLESS MOTOR**


## CORDLESS DRIVER & IMPACT WRENCH

**SP20V-4044**

Voltage: 20V  
 Socket Size: 1/2inch  
 Torque Force: 280N.m  
 Digital Torque Setting  
 No Load Speed: 0~2400 / 3000RPM  
 Weight: 1.2Kg

**20V BRUSHLESS MOTOR**


## CORDLESS IMPACT WRENCH

**SP20V-4044B**

Voltage: 20V  
 Drive Size: 1/2inch  
 Max.Torque: 350N.m  
 Transmission Shaft Size: 6/35mm  
 No-Load Speed: 0~2800 / 2100 / 1650RPM  
 Weight: 1.2 Kg

**20V BRUSHLESS MOTOR**


## CORDLESS IMPACT WRENCH

**SP20V-4050**
**PRO**

Voltage: 20V  
 Socket Size: 1/2inch  
 Torque Force: 500N.m  
 Digital Torque Setting  
 No Load Speed: 0~1000 / 1600~2200RPM  
 Weight: 1.5Kg

**20V BRUSHLESS MOTOR**






ITEM CODE  
**SP20V-4050**

**CORDLESS 500N.m**  
**IMPACT WRENCH**

**20V BRUSHLESS**  
**MOTOR**




**CORDLESS MINI ANGLE GRINDER**

**SP20V-4042**

**PRO**

Voltage: 20V  
Disk Size: 115mm  
Spindle Thread: M14  
No Load Speed: 0~5000 / 8500RPM  
Digital Torque Setting  
Soft Start  
Weight: 1.5Kg

**20V BRUSHLESS MOTOR**




**CORDLESS MINI ANGLE GRINDER**

**SP20V-4042B**

Voltage: 20V  
Disk Size: 115mm  
Spindle Thread: M14  
No Load Speed: 0~5000 / 8500RPM  
Digital Torque Setting  
Soft Start  
Weight: 1.5Kg

**20V BRUSHLESS MOTOR**



**20V BRUSHLESS MOTOR**



## CORDLESS ROTARY HAMMER

SP20V-4047

PRO

Voltage: 20V

Impact Energy: 2J

Impact Rate: 4700BPM

No Load Speed: 0~1400RPM

4 Working Function

Accessories: 3Pcs SDS Plus Bits

Weight: 2.2Kg

20V BRUSHLESS MOTOR



## CORDLESS ROTARY HAMMER

SP20V-4047B

Voltage: 20V

Impact Energy: 3J

Impact Rate: 5000BPM

No Load Speed: 0~900RPM

4 Working Function

Accessories: 3Pcs SDS Plus Bits

Weight: 1.7Kg

20V BRUSHLESS MOTOR



## CORDLESS ROTARY HAMMER

SP20V-4049

Voltage: 20V

Impact Energy: 1.2J

Impact Rate: 5000BPM

No Load Speed: 0~900RPM

4 Working Function

Accessories: 3Pcs SDS Plus Bits

Weight: 1.7Kg



## CORDLESS HIGH PRESSURE WASHER

**SP20V-4048**

Voltage: 20V  
 Max Pressure: 30 Bar  
 Flow: 3.3L/min  
 Running Time: Max 30min  
 No Load Speed: 0~3300RPM  
 Weight: 1Kg



## CORDLESS VACUUM BLOWER

**SP20V-4046**

Voltage: 20V  
 Wind Volume: 2.5m<sup>3</sup>/min  
 Wind Speed: 75m/sn  
 No Load Speed: 17000RPM  
 Weight: 1.3Kg



## CORDLESS CHAIN SAW 12"

**SP20V-5057**

Voltage: 20V  
 Motor Size: 50/25  
 Input Power Rate: 800W  
 No Load Speed: 3800RPM  
 Max Cutting: 250MM  
 Emergency Switch Stop  
 Lubricant Oil Tank: 120ML  
 Weight: 4Kg

**20V BRUSHLESS MOTOR**





## CORDLESS RECIPROCATING SAW

**SP20V-4045**

Voltage: 20V

Stroke Length: 22mm

Keyless Blade Clamp

Variable Speed Trigger

Soft Start

No Load Speed: 0~3300RPM

Weight: 1.7Kg

**20V** **BRUSHLESS**  
**MOTOR**



## CORDLESS JIG SAW

**SP20V-5052**

Voltage: 20V

Power: 600W

No Load Speed: 500~3000RPM

Depth of Cut: Steel 10mm / Wood 135mm

Stroke Length: 26MM

Weight: 2Kg

**20V** **BRUSHLESS**  
**MOTOR**



## CORDLESS CIRCULAR SAW

**SP20V-4070**

Voltage: 20V


Battery Capacity: 2.0/4.0 Ah

Disc Size: 165mm

No-Load Speed: 7000RPM

Weight: 3Kg

**20V** **BRUSHLESS**  
**MOTOR**





**20V** **BRUSHLESS**  
**MOTOR** 



**CORDLESS**  
**RECIPROCATING SAW**

ITEM CODE

**SP20V-4045**



**CORDLESS PRUNING SHEAR****SP20V-5054**

Voltage: 20V

Motor Size :31\*63MM

Max Cutting Capacity: 30MM

Blade Open Width: 2 / 2.5 / 3MM Adjustable

Weight:1Kg

**20V** BRUSHLESS MOTOR**CORDLESS LINE TRIMMER 30CM****SP20V-5056**

Voltage: 20V

Motor Size :775

No Load Speed: 7600RPM

Max Trimmer Diameter: 30MM

Rotary Handle Plus Telescopic Shaft

Weight: 2.5Kg

**CORDLESS HAND SAW****SP20V-5055**

Voltage: 20V

Input Power: 400W

No load Speed: 3200RPM

Max Cutting Diameter:120mm

Manual Oil Pump: 60ML

Blade Size: 6"

Weight:1.7Kg

**20V** BRUSHLESS MOTOR

**CORDLESS FAN**

**SP20V-5059**

Voltage: 20V  
Adjustable Angle: 0-360°  
No loads Speed: 1000/1800/2500RPM  
Fan Blade Size: 245mm  
Weight:2.8Kg



**CORDLESS SPOT LIGHT**

**SP20V-5058**

Voltage: 20V  
rated Input Power :20W  
Max Lum: 1800 lm  
Discharge Protection Current:10 A  
Include USB Output  
Weight:2.5Kg



**FAST CHARGER**

**SP20V-4010**

Voltage: 20V(2.0/4.0Ah)  
Working Voltage: 100~240V  
Output Voltage: 21V  
Output Current: 3.0Ah  
Weight: 0.8Kg





**FAST CHARGER****SP20V-4020**

Type: Li-ion Battery Charger

Working Voltage: 100~240V

Output Voltage: 21V

Output Current: 2.0Ah

Weight: 0.8Kg

**Li-ion BATTERY****SP20V-4005**

Voltage: 20V

Battery Capacity: 2.0Ah

Weight: 0.4Kg

**Li-ion BATTERY****SP20V-4006**

Voltage: 20V

Battery Capacity: 4.0Ah

Weight: 0.7Kg

**Li-ion BATTERY****SP20V-4003**

Voltage: 20V

Battery Capacity: 5.0Ah

Weight: 0.7Kg



# 3.6~18V



3.6V / 12V / 14.4V / 18V

**CORDLESS SCREW  
DRIVERS DRILLS**

## CORDLESS DRILL 12V

**SP12V-4011**

Voltage: 12V  
Battery Capacity: 1.5Ah  
Chuck Size: 10mm  
Torque Setting: 17+1  
Torque Force: Max 24N.m  
Battery Charging Time: 3Hrs  
No Load Speed: 0~400 / 0~1350RPM  
Capacity: Wood 20mm / Steel 10mm  
Weight: 1.3Kg



## CORDLESS DRILL 12V

**SP12V-4012**

Voltage: 12V  
Battery Capacity: 1.5Ah  
Chuck Size: 10mm  
Torque Setting: 17+1  
Torque Force: Max 24N.m  
Battery Charging Time: 3Hrs  
No Load Speed: 0~400 / 0~1350RPM  
Capacity: Wood 20mm / Steel 10mm  
Weight: 1.3Kg





## CORDLESS DRILL 16V

SP16V-4016

XPOWER

BRUSHLESS  
MOTOR

Voltage: 16V

Battery: 2.0Ah

Max torque : 60NM

Torque Setting: 20+3 N.m

No-load Speed: 0~400 / 0~1450RPM

Weight: 1.5Kg

2x16V  
LI-Ion BATTERY

**CORDLESS DRIVER DRILL 14.4V**

**SP14.4V-4021**

Voltage: 14.4V  
Battery Capacity: 1.5Ah  
Chuck Size: 10mm  
Torque Setting: 17+1  
Torque Force: Max 26N.m  
Battery Charging Time: 1Hrs  
No Load Speed: 0~400 / 0~1350RPM  
Capacity: Wood 20mm / Steel 10mm  
Weight: 1.5Kg



**IMPACT CORDLESS DRILL 18V**

**SP18V-4026**

**PRO**

Voltage: 18V  
Battery Capacity: 1.5Ah  
Chuck Size: 10mm  
Torque Setting: 18+3  
Torque Force: Max 32N.m  
Battery Charging Time: 1Hrs  
No Load Speed: 0~400 / 0~1350RPM  
Capacity: Wood 20mm / Steel 10mm  
Weight: 1.5Kg



**CORDLESS SCREW DRIVER**

**SP3.6V-3011**

Voltage: 3.6V  
Battery Capacity: 1.5Ah  
Torque Force: 3N.m  
Running Time: 3Saat  
No Load Speed: 150RPM  
Accessories: 33Pcs  
Weight: 0.4Kg

















# PROFESSIONAL POWER TOOLS

# 220V

## ELECTRIC DRILL 450W

SP-6011

Power: 450W

Drill Chuck: 6.5mm

No Load Speed: 3500RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 1Kg



## ELECTRIC DRILL 450W

SP-6020

Power: 450W

Drill Chuck: 10mm

No Load Speed: 3300RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 1.3Kg





**ELECTRIC IMPACT DRILL 650W****SP-6021**

Power: 650W

Metal Chuck: 13mm

No Load Speed: 2800RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 1.6Kg

**ELECTRIC IMPACT DRILL 650W****SP-6021A**

Power: 650W

Drill Chuck: 13mm

No Load Speed: 2800RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 1.6Kg

**ELECTRIC IMPACT DRILL 710W****SP-6015**

Power: 710W

Voltage: 220~240V

Frequency: 50~60Hz

NO-Load Speed: 2800RPM

keyless Chuck: 13mm

Weight: 1.6Kg



**ELECTRIC IMPACT DRILL 710W**

**SP-6015A**

Power: 710W  
Voltage: 220~240V  
Frequency: 50~60Hz  
NO-Load Speed: 2800RPM  
keyless Chuck: 13mm  
Weight: 1.6Kg



**ELECTRIC IMPACT DRILL 750W**

**SP-6014A**

**PRO**

Power: 750W  
Drill Chuck: 13mm  
No Load Speed: 2800RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.6Kg



**ELECTRIC IMPACT DRILL 850W**

**SP-6022**

Power: 850W  
Metal Chuck: 13mm  
No Load Speed: 2800RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.8Kg





**ELECTRIC IMPACT DRILL 850W****SP-6022A**

Power: 850W

Metal Chuck: 13mm

No Load Speed: 2800RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 1.7Kg

**ELECTRIC IMPACT DRILL 850W****SP-6016****PRO**

Power: 850W

Voltage: 220~240V

Frequency: 50~60Hz

NO-Load Speed: 28000RPM

keyless Chuck: 13mm

Weight: 1.6Kg

**ELECTRIC IMPACT DRILL 850W****SP-6016A****PRO**

Power: 850W

Voltage: 220~240V

Frequency: 50~60Hz

NO-Load Speed: 2800RPM

keyless Chuck: 13mm

Weight: 1.6Kg



ITEM CODE

**SP-7015**

Ø 40mm  
1500Watt/10Jule

**ROTARY HAMMER**





**ROTARY HAMMER 24MM**

**SP-7010A**

Power: 700W / 2.2J  
Tool Holder: 24mm  
No Load Speed: 870RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 2.5Kg



**ROTARY HAMMER 26MM**

**SP-7010**

Power: 850W / 3J  
Tool Holder: 26mm  
No Load Speed: 1100RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 3Kg



**ROTARY HAMMER 26MM**

**SP-7011**

Power: 850W / 3J  
Tool Holder: 26mm  
No Load Speed: 1100RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 3Kg





## ROTARY HAMMER 28MM

SP-7012

Power: 1100W / 4.5J

Tool Holder: 28mm

No Load Speed: 770RPM

Impact Rate: 4200BPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 4.8Kg



## ROTARY HAMMER 36MM

SP-7013

Power: 1650W / 6J

Tool Holder: 36mm

No Load Speed: 800RPM

Impact Rate: 4200BPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 5.2Kg



**ROTARY HAMMER 40MM**

**SP-7014**

**PRO**

Power: 1500W / 10J  
Tool Holder: 40mm  
No Load Speed: 590RPM  
Impact Rate: 4000BPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 7.5Kg



**ROTARY HAMMER 40MM**

**SP-7015**

**SPEED CONTROL**

Power: 1500W / 10J  
Impact Rate: 4000BPM  
Voltage: 220~240V  
Frequency : 50~60Hz  
Weight: 7Kg



**DEMOLITION HAMMER 7Kg**

**SP-7023**

Power: 1500W / 20J  
Voltage: 220~240V  
Impact Rate: 3600BPM  
Frequency: 50~60Hz  
Weight: 7Kg





**DEMOLITION HAMMER 7Kg****SP-7020**

Power: 1300W / 20J  
 Impact Rate: 4000BPM  
 Voltage: 220~240V  
 Frequency : 50~60Hz  
 Weight: 7Kg

**DEMOLITION HAMMER 11Kg****SP-7022****PRO**

Power: 1500W / 27J  
 Impact Rate: 1200BPM  
 Voltage: 220~240V  
 Frequency : 50~60Hz  
 Weight: 11Kg

**DEMOLITION HAMMER 15.5Kg****SP-7021**

Power: 1700W / 55J  
 Impact Rate: 1850BPM  
 Voltage: 220~240V  
 Frequency : 50~60Hz  
 Weight: 15.5Kg














**MINI ANGLE GRINDER 680W**
**SP-5010**

Power: 680W  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 NO-Load Speed: 11000RPM  
 Disk Size: 115mm  
 Weight: 2.3Kg


**MINI ANGLE GRINDER 680W**
**SP-5011**

Power: 680W  
 Disk Size: 100mm  
 No Load Speed: 11000RPM  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 2.3Kg


**MINI ANGLE GRINDER 750W**
**SP-5015**

Power: 750W  
 Disk Size: 115mm  
 No Load Speed: 11000RPM  
 Voltage: 220~240V  
 Frequency : 50~60Hz  
 Weight: 2Kg





**MINI ANGLE GRINDER 750W****SP-5019**

Power: 750W


Disk Size: 115mm

NO-Load Speed: 11000RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 2Kg

**MINI ANGLE GRINDER 900W****SP-5018**

Power: 900W

Disk Size: 115mm

No Load Speed: 11000RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 2.3Kg

**MINI ANGLE GRINDER 1100W****SP-5017**

Power: 1100W


Disk Size: 115mm

No Load Speed: 11000RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 2.3Kg

**MINI ANGLE GRINDER 1100W****SP-5017A**

Power: 1100W

Disk Size: 125mm

No Load Speed: 11000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 2.3Kg







**MINI ANGLE GRINDER 1200W****SP-5014****PRO****6 SPEED CONTROL**

Power: 1200W


Disk Size: 125mm

No Load Speed: 11000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 2.35Kg

**ANGLE GRINDER 2000W****SP-5020**

Power: 2000W

Disk Size: 180mm

No Load Speed: 8000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 4Kg

**ANGLE GRINDER 2000W****SP-5021**

Power: 2000W

Disk Size: 230mm

No Load Speed: 6000RPM

Voltage: 220~240V

Frequency : 50~60Hz


Weight: 4Kg



**ANGLE GRINDER 2400W**

**SP-5022**


Power: 2400W  
Disk Size: 180mm  
No Load Speed: 8500RPM  
Voltage: 220~240V  
Frequency : 50~60Hz  
Weight: 5.2Kg



**ANGLE GRINDER 2400W**

**SP-5023**

Power: 2400W  
Disk Size: 230mm  
No Load Speed: 6000RPM  
Voltage: 220~240V  
Frequency : 50~60Hz  
Weight: 5.5Kg



**ANGLE GRINDER 2200W**

**SP-5024**

Power: 2200W  
Disk Size: 180mm  
No Load Speed: 8500RPM  
Voltage: 220~240V  
Frequency : 50~60Hz  
Weight: 5.2Kg





**ANGLE GRINDER 2200W****SP-5025**

Power: 2200W


Disk Size: 230mm

No Load Speed: 6000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 5.5Kg

**ANGLE GRINDER 2600W****SP-5026****PRO**

Power: 2600W


Disk Size: 180mm

No Load Speed: 8000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 6.2Kg

**ANGLE GRINDER 2600W****SP-5027****PRO**

Power: 2600W

Disk Size: 230mm

No Load Speed: 6000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 6.2Kg

**ELECTRIC POLISHER 1300W****SP-5030**

Power: 1300W

Disk Size: 180mm

No Load Speed: 600-3000RPM

Voltage: 220~240V

Frequency : 50~60Hz

Weight: 3.2Kg











**2200W**

**CIRCULAR SAW**

ITEM CODE  
**SP-9011**

**PALM SANDER 280W**

**SP-9020**

Power: 280W  
Sanding Plate Size: 100\*110mm  
No Load Speed: 14500RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Accessories: 3 Sanding Pad  
Weight: 1.2Kg



**ELECTRIC SANDER 320W**

**SP-9021**

Power: 320W  
Sanding Plate Size: 90\*180mm  
No Load Speed: 14000RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Accessories: 3 Sanding Pad  
Weight: 2Kg



**ORBITAL SANDER 400W**

**SP-9022**

Power: 400W  
Sanding Plate Diameter: 125mm  
No Load Speed: 800-13500RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Accessories: 3 Sanding Pad  
Weight: 1.5Kg





**ELECTRIC TRIMMER 500W****SP-9030**

Power: 500W

Collet Size: 6mm

No Load Speed: 32000RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 2Kg

**ELECTRIC ROUTER 1800W****SP-9031****PRO**

Power: 1800W

Collet Size: 6-8-12-1/4" -1/2" mm

No Load Speed: 23000RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 6Kg

**ELECTRIC JIG SAW 800W****SP-9051****PRO**

Power: 800W

Voltage: 240~220V

Frequency: 60~50Hz

No Load Speed: 0-2400RPM

Depth of Cut: Steel 6mm / Wood 65mm

Weight: 2.5Kg



**ELECTRIC PLANER 750W**

**SP-9040**


Power: 750W  
Planing Width: 82mm  
Planing Depth: 2mm  
No Load Speed: 18000RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.5Kg



**CIRCULAR SAW 185MM**

**SP-9010**

Power: 1600W  
Disk Size : 185mm  
Max Cutting Capacity: 66mm  
No Load Speed: 5300RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 5Kg



**CIRCULAR SAW 235MM**

**SP- 9011**

Power: 2200W  
Disk Size : 235mm  
Max Cutting Capacity: 85mm  
No Load Speed: 4000RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 8Kg





**CIRCULAR SAW 185MM****SP- 9012**

Power: 1350W

Voltage: 220~240V

Frequency: 50~60Hz

NO-Load Speed: 4500RPM

Max. Cutting Depth: 66mm

Weight: 5Kg

**MITRE SAW 10" 254MM****SP-9060**

Power: 2000W

Size: 10"(254mm)

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 4800RPM

Net Weight: 11Kg

Blade diameter: Ø 254mm

Saw blade bore diameter: Ø36T

Table Tilting Range: L45 ~R45

Saw body tilting range: 0~45

Max Cut at: 90 × 90 : 70×310mm

0°×45° : 40×210mm

45°×90° : 40×310mm

45°×45° : 70×210mm



**COMPOUND SLIDING MITRE SAW 10"**

**SP-9061**

Power: 2000W  
Size: 10"(254mm)  
Voltage: 220~240V  
Frequency: 50~60Hz  
No Load Speed: 4800RPM  
Net Weight: 14Kg  
Blade diameter: Ø254mm  
Saw blade bore diameter: Ø100T  
Table Tilting Range: L45 ~R45  
Saw Body Tilting range: 0~45  
Max Cut at: 0°×90°: 70×146mm  
0°×45°: 46×146mm  
45°×90°: 70×104mm  
45°×45°: 35×104mm



**DOUBLE BEVEL SLIDING MITER SAW 305MM 12"**

**SP-9062**

Power: 2000W  
Size: 12" (305mm)  
Voltage: 220~240V  
Frequency: 50~60Hz  
No Load Speed: 4350RPM  
Net Weight: 17Kg  
Max Cutting : (Maks. Kesme derinliği)  
Saw blade bore diameter: Ø30 120T  
Table Tilting Range: L45 ~R45  
Saw body tilting range: L45 ~R45  
Max Cut at: 0°×0°: 340mm×90mm  
0°×45°: 340mm×48mm  
0°×45°: 340mm×32mm  
45°×0°: 240mm×90mm  
45°×45°: 240mm×48mm  
45°×45°: 240mm×32mm





**MITRE SAW 8" 210MM****SP-9065**

Power: 1200W

Saw Blade Size: 210mm(8")

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 5300RPM

Net Weight: 14Kg

90°/90° 115mm(w)×55mm(h)

90°/45° 65mm(w)×55mm(h)

45°/90° 115mm(w)×35mm(h)

(L)-45°/45° 45mm(w)×30mm(h)

(R)-45°/45° 70mm(w)×30mm(h)

**MITRE SAW 10" 255MM****SP-9066**

Power: 2000W

Size: 10"(255mm)

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 5300RPM

Net Weight: 18Kg

0°× 45°: 50 ×130 mm

0°×0°: 78 × 130 mm

45°× 0°: 80 × 78 mm

45°× 45°: 50 × 40 mm

45°× 0°: 78 × 85 mm

45°× 45°: 40 × 95 mm













**HIGH PRESSURE WASHER 105BAR**

**SP- 2017**


Power: 1400W  
Voltage: 220~240V  
Frequency: 50~60Hz  
Motor Type: Universal  
Max Pressure: 105Bar  
Flow: 5L /min  
Weight: 6.9Kg



**HIGH PRESSURE WASHER 100BAR**

**SP- 2017A**

Power: 1300W  
Voltage: 220~240V  
Frequency: 50~60Hz  
Motor Type: Universal  
Max Pressure: 100Bar  
Flow: 4.6L /min  
Weight: 3.9Kg



**HIGH PRESSURE WASHER 135BAR**

**SP- 2018**

Power: 1650W  
Voltage: 220~240V  
Frequency: 50~60Hz  
Motor Type: Universal  
Max Pressure: 135Bar  
Flow: 5L /min  
Weight: 7.4Kg





**HIGH PRESSURE WASHER 160BAR****SP- 2019**

Power: 2000W

Max Pressure: 160Bar

Flow: 6L /min

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 9Kg

**HIGH PRESSURE WASHER 160BAR****SP- 2022****PRO****INDUCTION MOTOR**

Power: 2000W

Max Pressure: 160Bar

Flow: 6L /min

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 15.8Kg

**HIGH PRESSURE WASHER 120BAR****SP- 2025****INDUCTION MOTOR**

Power: 1500W

Voltage: 220~240V

Frequency: 50~60Hz

Motor Type: Induction

Max Pressure: 120Bar

Flow: 6.8L /min

Weight: 7.8Kg









**HIGH PRESSURE WASHER 150BAR****SP- 2026****INDUCTION MOTOR**

Power: 1800W

Voltage: 220~240V

Frequency: 50~60Hz

Motor Type: Induction

Max Pressure: 150Bar

Flow: 7.5L /min

Weight: 10Kg

**HIGH PRESSURE WASHER 195BAR****SP- 2027****INDUCTION MOTOR**

Power: 2800W

Voltage: 220~240V

Frequency: 50~60Hz

Motor Type: induction

Max Pressure: 195Bar

Flow: 10L /min

Weight: 30.2Kg



**VACUUM BLOWER 400W**

**SP-2010**

Power: 400W  
Wind Volume: 3.0M<sup>3</sup>/min  
No Load Speed: 0~14000RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.5Kg



**VACUUM BLOWER 600W**

**SP-2011**

Power: 600W  
Wind Volume: 3.0M<sup>3</sup>/min  
No Load Speed: 0~16000RPM  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.7Kg



**ELECTRIC HAND MIXER 1400W**

**SP-2015**

Power: 1400W  
Pad Size: 120mm  
Max Mixing Capacity: 60~100Liter  
No Load Speed: 0~600/0~900RPM  
Tool Connection: M14  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 4.1Kg





**ELECTRIC HAND MIXER 1600W****SP-2016**

Power: 1600W  
 Pad Size: 140mm  
 Max Mixing Capacity: 60~100Liter  
 No Load Speed: 0~600/0~900RPM  
 Tool Connection: M14  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 5.5Kg

**BENCH GRINDER 6 " 180W****SP- 2075**

Power: 180W  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 No Load Speed: 2950 RPM  
 Wheel Diameter: 6"/150mm  
 Weight: 5.5Kg

**BENCH GRINDER 8" 350W****SP- 2076**

Power: 350W  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 No Load Speed: 2950 RPM  
 Wheel Diameter: 8"/200mm  
 Weight: 11Kg



**ELECTRIC IMPACT WRENCH 900W**

**SP- 2030**

**PRO**

Power: 900W

Max Torque : 350Nm

Socket Size: M14-M22

No Load Speed: 0-1900RPM

Voltage: 220~240V

Frequency: 50~60Hz

Weight: 3.7Kg



**ELECTRIC IMPACT WRENCH 950W**

**SP- 2031**

Power: 950W

Voltage: 220~240V

Frequency: 50~60Hz

Max Torque: 450NM

Bolt Range: M14 - M22

NO-Load Speed: 0~2300RPM

Weight: 3.7Kg



**BAND SAW 1400W**

**SP-2590**

Power: 1400W

Voltage: 220/240V

Frequency: 50/60Hz

Saw Band: 1141 x 13 x 0.65 mm

Cutting width 90°: 127 x 127 mm

Cutting width 45°: 127 x 40 mm

Weight: 14kg









**CUT OFF SAW 2400W**

**SP-2051**

Power: 2400W  
 Voltaj: 220~240V  
 Frekans: 50~60Hz  
 No Load Speed: 3800RPM  
 Disk Size: 355mm  
 Weight: 17Kg



**HEAT GUN SINGLE HANDLE 2000W**

**SP- 2040A**

Power: 2000W  
 Temperature: 300-600°C  
 Air Output: 300-500L/min  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 0.8Kg



**HEAT GUN DOUBLE HANDLE 2000W**

**SP- 2041**

Power: 2000W  
 Temperature: 300-600°C  
 Air Output: 300-500L/min  
 3 Position Switch  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 1.1Kg





**MARBLE CUTTER 1500W****SP- 2560**

Power: 1500W


Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 12500RPM

Dis size : 115mm

Net Weight: 3.5Kg

**RECIPROCATING SAW 850W****SP-2055**

Power: 850W

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 800-3000RPM

Stroke Length: 20mm

Weight: 2.8Kg

**ROTARY KIT 135W 211PCS****SP- 2070**

Power: 135W

Voltage: 220~240V

Frequency: 50~60Hz

No Load Speed: 0-28000RPM

Collet Size: 3mm

Speed Dimmer

Weight: 0.6Kg

Accessories: 211Pcs



**SHORT NECK DIE GRINDER 650W**

**SP-5041**

Power: 650W  
Voltage: 220~240V  
Frequency: 50~60Hz  
No Load Speed: 5500-30000RPM  
Collet Size: 6mm  
Net Weight: 1.5Kg



**LONG NECK DIE GRINDER 650W**

**SP-5042**

Power: 650W  
Voltage: 220~240V  
Frequency: 50~60Hz  
No Load Speed: 5500-30000RPM  
Collet Size: 6mm  
Net Weight: 1.6Kg



**ELECTRIC PAINT SPRAYER 550W**

**SP- 2060**

Power: 550W  
Nozzle: 1.5-3mm  
Capacity: 800ML  
Max Viscosity: 100 Din /S  
Max Flow: 800ML/min  
Voltage: 220~240V  
Frequency: 50~60Hz  
Weight: 1.5 Kg





**WELDING INVERTER 200A****SP- 8027**

Input Voltage: 220~240V  
 No Load Speed: 35-50V  
 Output Current: 20~200A  
 Rated Output Voltage: 20.8-28V  
 Max Input Power Capacity: 9.5KVA  
 Max Input Current: 43.6A  
 Power Factor: 0.75  
 Insulation Class: F  
 Protection: IP21S  
 Electrode Diameter: 1.6~4

**WELDING INVERTER 250A****SP- 8028**

Input Voltage: 220~240V  
 No Load Speed: 35-50V  
 Output Current: 20~250A  
 Rated Output Voltage: 20.8-30V  
 Max Input Power Capacity: 12.8KVA  
 Max Input Current: 58.4A  
 Power Factor: 0.75  
 Insulation Class: F  
 Protection: IP21S  
 Electrode Diameter: 1.6~5

**PIPE WELDING MACHINE SET 2000W****SP- 2046**

Power: 2000W  
 Voltage: 220 ~240V  
 Frequency: 50 ~60Hz  
 Working Temp.: 0 ~300°C  
 Weight: 1Kg





**GASOLINE CHAIN SAW 20" 2400W**

**SP-3020**

Power: 2400W


Displacement: 58CC

Guid bar: 20"

Tank Capacity: 550ML

Rated Speed: 2800-3200RPM

Net Weight: 6.5Kg





**DRYWALL SANDER 850W****SP-2550**

Power: 850W  
Pad Diameter: 225mm  
Sander Paper Size: 230mm  
Frequency: 50/60Hz  
Voltage: 220-240V  
Weight: 4.5kg

**INDUSTRIAL VACUUM CLEANER 3000W****SP-2090**

Powerful Motor 3000W (3\*1000W) Full Cooper  
80L Stainless Steel Tank  
Wet& Dry Cleaning  
Vacuum Pressure: 20KPA  
Weight: 26kg



**MAGNETIC DRILL 30MM**

**SP- 2597**

Power: 900W  
Magnesim: 11500N  
Voltage: 220/240V  
Frequency: 50/60Hz  
Max Drill Capacity: 30mm  
Max Drill Depth: 50mm  
Weight: 12Kg



**DRILL PRESS 13MM**

**SP- 2595**

Power: 350W  
Voltage: 220/240V  
Frequency: 50/60Hz  
Table size: 160\*160mm  
Base size: 300\*185mm  
Height: 580mm  
No load Speed: 2620RPM  
Swing: 210mm  
Weight: 16.5Kg



**DRILL PRESS 16MM**

**SP- 2596**

Power: 550W  
Voltage: 220/240V  
Frequency: 50/60Hz  
Table Size: Ø290mm  
Base Size: 420\*250mm  
Height: 980mm  
No load Speed: 2870RPM  
Swing: 325mm  
Weight: 42Kg





**ELECTRIC HOIST 550W****SP-2540**

Power: 550W  
 Loading Capacity: 125/250KG  
 Loading Length: 20M/10M  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 21Kg

**ELECTRIC HOIST 1000W****SP-2541**

Power: 1000W  
 Loading Capacity: 250/500KG  
 Loading Length: 20M/10M  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 31Kg

**ELECTRIC HOIST 1300W****SP-2542**

Power: 1300W  
 Loading Capacity: 400/800KG  
 Loading Length: 20M/10M  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 33Kg

**ELECTRIC HOIST 1600W****SP-2543**

Power: 1600W  
 Loading capacity: 600/1200KG  
 Loading length: 20M/10M  
 Voltage: 220~240V  
 Frequency: 50~60Hz  
 Weight: 28Kg



**PLATE COMPACTOR**

**SP-2521**

Powerful Motor 6.5hp  
Centrifugal force: 16KN  
Compaction Depth: 30cm  
Max Travel Speed: 20m/min  
Plate Size: 540x450mm  
Vibrating Frequency: 4750VPM  
Weight: 90kg



**POWER TROWEL**

**SP-2525**

Powerful Motor 6.5 hp  
Rotor Diameter : 91CM  
Number of the Blade Teeth: 4  
Blade Size : 35\*15cm ( 6\*14" )  
Weight: 78kg



**ELECTRONIC SCALE 30KG**

**SP-2530**

Operation Weight: 30KG/2G  
Voltage: 220~240V  
Frequency: 50~60Hz  
Table Size: 230\*330mm  
Weight: 2.8Kg





**ELECTRONIC PLATFORM SCALE 100KG****SP-2531**

Maximum Weight: 100kg/20g  
 Double Side LED Screen for Better Reading  
 Stainless iron table size: 300\*400mm  
 Include Horizontal Vacuum  
 Auto Shut off Function to Save Power  
 Weight: 7Kg

**ELECTRONIC PLATFORM SCALE 300KG****SP-2532**

Maximum Weight: 300kg/50g  
 Double Side LED Screen for Better Reading  
 Stainless iron table size: 400\*500mm  
 Include Horizontal Vacuum  
 Auto Shut off Function to Save Power  
 Weight: 10Kg

**HYDRAULIC HAND PALLET TRUCK****SP-2544  
SP-2545**

Size: 550\*1200 MM  
 Loading Capacity: 2.5T  
 Size: 550\*1200 MM  
 Loading Capacity: 2.5T / 3T

**HIGH PRESSURE GREASE PUMP****SP-2510**

Tank Capacity: 12L  
 Compressed Air: 0.6 - 0.8Mpa  
 Pressure Ratio: 50:1  
 Transmission Pressure: 30-40Mpa  
 Grease Transmission Velocity: 0.85L/Min  
 Weight: 12.8kg



# PROFESSIONAL AIR TOOLS

## AIR COMPRESSOR SILENT 25L

SP-2625SL

25 Liter Tank

Power: 1200W

Maximum Air Pressure: 8Bar

Air Delivery: 0.1m<sup>3</sup>

Weight: 20Kg



## AIR COMPRESSOR SILENT 50L

SP-2650SL

50 Liter Tank

Power: 2400W(2×1200)

Maximum Air Pressure: 8Bar

Air Delivery: 0.2m<sup>3</sup>

Weight: 37Kg





## MINI AIR COMPRESSOR 150PSI

**SP- 2113**

**DOUBLE CYLINDER**

Power: 200W  
Voltage: 12V DC  
Max. Pressure: 150Psi/11Bar  
Max. Air Flow: 40L/min  
Weight: 2.5Kg



## AIR BRAD NAILER F50

**SP- 2661**

Capacity: 100Pc  
Applied Nail: 10-50mm  
Working Air Pressure: 0.5-0.7MPa  
Weight: 1.3Kg



## AIR STAPLER 8016

**SP- 2660**

Capacity: 100Pc  
Applied Nail: 8-16mm  
Working Air Pressure: 0.4-0.8MPa  
Weight: 0.8Kg



**AIR IMPACT WRENCH 1/2 "**

**SP- 2670**

Max.Torque:1100N.M

Free Speed: 7400RPM

Air Consumption: 120L/min

Air Pressure: 6-8bar

Weight: 2Kg



**AIR IMPACT WRENCH 3/4 "**

**SP- 2671**

Max.Torque: 2000N.M

Free Speed: 4300RPM

Air Consumption: 220L/min

Air Pressure: 6-8bar

Weight: 3.5Kg



**AIR IMPACT WRENCH 1"**

**SP- 2672**

Max.Torque: 2600N.M

Free Speed: 4000RPM

Air Consumption: 250L/min

Air Pressure: 6-8bar

Weight: 13Kg







**HAND  
TOOLS**

## COMBINATION PLIERS

ITEM CODE	SPH-1550	SPH-1551	SPH-1552
SIZE	6" (160MM)	7"(180MM)	8"(200MM)

CRV- Black finished  
 2 Component Plastic Handle



## DIAGOLANG CUTTING PLIERS

ITEM CODE	SPH-1553	SPH-1554
SIZE	6" (160MM)	7" (180MM)

CRV- Black finished  
 2 Component Plastic Handle



## LONG NOSE PLIERS

ITEM CODE	SPH-1555	SPH-1556
SIZE	6" (160MM)	8" (200MM)

CRV- Black finished  
 2 Component Plastic Handle



## PVC PIPE CUTTER 7"

ITEM CODE	SPH-1580
SIZE	7"

cutting diameter : 3-42mm(1-1/4")  
 Aluminium alloy body +SK5 blade +Teflon  
 Automatic open function





### PVC PIPE CUTTER 9"

ITEM CODE	SPH-1581
SIZE	9"

cutting diameter : 3-42mm(1-1/4")  
 Aluminium alloy body +SK5 blade +Teflon  
 Automatic open function



### HAND RIVETER

ITEM CODE	SPH-1520
SIZE	10.5"

Hardened steel body  
 Aplicable rivet size :2.4/3.2/4/4.8mm  
 Suitable for PVC/PPR/PU/PE/PEX



### LOCKING PLIER CURVED JAW

ITEM CODE	SPH-1510S
SIZE	10"

MAX Opening : 50mm  
 Nickle plated Finishing



### LOCKING PLIER STRAIGHT JAW

ITEM CODE	SPH-1511C
SIZE	10"

MAX Opening : 50mm  
 Nickle plated Finishing



## ADJUSTABLE WRENCH

ITEM CODE	SPH-1530	SPH-1531	SPH-1532
SIZE	8"	10"	12"

Surface bright chrome finishing  
Big open jaw



## SCREW DRIVER

ITEM CODE	SPH-1610	SPH-1612	SPH-1614
SIZE	SL3*75	SL5*100	SL6*150

CRV Material Hardened Finsihing  
Ergonomic handle



## SCREW DRIVER

ITEM CODE	SPH-1611	SPH-1613	SPH-1615
SIZE	PH0*75	PH1*100	PH2*150

CRV Material Hardened Finsihing  
Ergonomic handle



## SCREW DRIVER SET 2PCS

ITEM CODE	SPH-1630
SIZE	SL6*125 PH2*125

CRV Material Hardened Finsihing  
Ergonomic handle





## SCREW DRIVER SET 4PCS

ITEM CODE	SPH-1631
SIZE	SL5*100 PH1*100 SL6*125 PH2*125

CRV Material Hardened Finishing

Ergonomic handle



## MEASURING TAPE

ITEM CODE	SIZE
SPH-1650	3M(3*16MM)
SPH-1651	5M(5*19MM)
SPH-1652	5M(5*25MM)
SPH-1653	7.5M(7.5*25MM)
SPH-1654	10M(10*25MM)

Steel measuring tape

Lock system

NEW ABS material of body



## ALUMINUM SPIRIT LEVEL

ITEM CODE	SIZE
SPH-1670	300MM
SPH-1671	400MM
SPH-1672	600MM



## LONG HEX KEY SET 9PCS

ITEM CODE	SPH-1540
-----------	----------

Long Arm hex key

Size: 1.4/2/2.5/3/4/5/6/8/10 mm

Chrome plated, Heat Treated



## LONG TROX KEY SET 9PCS

ITEM CODE	SPH-1542
-----------	----------

Long Arm hex key

Size : T10-T50

Chrome plated, Heat Treated



## EXTRA LONG HEX KEY SET 9PCS

ITEM CODE	SPH-1541
-----------	----------

Long Arm hex key

Size:1.4/2/2.5/3/4/5/6/8/10 mm

Chrome plated, Heat Treated



## EXTRA LONG TROX KEY SET 9PCS

ITEM CODE	SPH-1543
-----------	----------

Long Arm hex key

Size : T10-T50

Chrome plated, Heat Treated



## NITRILE & LATEX SAFETY GLOVES

NAME	ITEMCODE	SIZE
NITRILE PALM COATED	SPH-1570	L
NITRILE PALM COATED	SPH-1571	XL
LATEX COATED GLOVES	SPH-1572	L
LATEX COATED GLOVES	SPH-1573	XL
CUT-5 HPPE GLOVES	SPH-1574	L
CUT-5 HPPE GLOVES	SPH-1575	XL





## UTILITY KNIFE CUTTER

SP- 1210

Automatic Blade Lock for Safety  
Compact and light with Comfortable grip  
ABS Body and 5 Pcs SK5 Blade (18\*0.5mm )

**HAVY DEUTY  
EXTRA SHARP**  AUTO-LOCK

## UTILITY KNIFE CUTTER

SP- 1211

Automatic Blade Lock for Safety  
Compact and Light with comfortable Grip  
zinc head, Aluminum Handle and 5 Pcs SK5 Blade  
(19\*0.6mm)

**HAVY DEUTY  
EXTRA SHARP**  AUTO-LOCK

## UTILITY KNIFE CUTTER

SP- 1212

Automatic blade lock for safety  
Compact and light with comfortable grip  
HIPS+TPR body and SK5 blade (18\*0.5mm )

**HAVY DEUTY  
EXTRA SHARP**  AUTO-LOCK

## CUTTING AND GRINDING WHEELS

Use For

Metal, Stone, Granite, Ceramic and Stainless Steel



Top Resin Formulated for Highest Quality @ Safety



## DRILL BITS

Concrete, Brick, Masonry

Extremely True Running & Precise Round Holes



## CORDLESS POWER BITS

Strong Magnetic Tips

High Facture Strength & Long Life

Extremely True Running & Precise Round



## HAMMER BITS

Sds Plus, Sds Max, Hex Bits

Chrome Alloy Steel Shank

Cross Head Carbide Tip, High Quality Carbide Tip

Extremly True Running & Precise Round Holes

Brick, Stone, Concrete, Masonry, Metal







## ISSET S.r.l. Unipersonale

Sede Legale e Uffici  
Via Donatori di sangue, 9 - 46024 Moglia (MN)  
Tel. e fax +39 (0)376 588963  
www.iset-italia.com commerciale@iset-italia.com



Cap. soc. i.v. € 10.200,00  
Cod. Fisc. e P.A. Reg. Imprese 02 332 750 369  
REA 02 332 750 369  
Cap. soc. i.v. MN 0221098

### CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)  
RITIM YAPI INSAAT VE DIS TIC. LTD. STI  
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL  
**MANUFACTURER:**  
Zhangjiagang SPECCO tools Co.,Ltd.  
Room 414,No.9,Rennin East Road,yangshu Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000420210511  
**TECHNICAL REFERENCE:** RBT210510205MR-1 RBT210510205ER-1
- ISSET MARK:**



- CAUTION ABOUT CE MARKING** (Instruction for the Applicant who puts the product on the EU market):  
 The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.
- TYPE OF PRODUCT:** Angle grinder  
**TRADE MARK:**   
**MODEL(S):** SP-5020,SP-5020A,SP-5021,SP-5021A,SP-5022,SP-5022A,SP-5023,SP-5023A,SP-5024,SP-5024A,SP-5025,SP-5025A,SP-5026,SP-5026A,SP-5027,SP-5027A,SP-5028,SP-5028A,SP-5029,SP-5029A
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)  
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU  
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 60745-2-3:2011/A13:2015, EN 60204-1:2018  
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/05/2021
- SIGNATURE:** Xiao Ming  
(On behalf of the Legal representative)

EXPIRY DATE: 10/05/2026

(On behalf of the Legal representative)



## ISSET S.r.l. Unipersonale

Sede Legale e Uffici  
Via Donatori di sangue, 9 - 46024 Moglia (MN)  
Tel. e fax +39 (0)376 588963  
www.iset-italia.com commerciale@iset-italia.com



Cap. soc. i.v. € 10.200,00  
Cod. Fisc. e P.A. Reg. Imprese 02 332 750 369  
REA 02 332 750 369  
Cap. soc. i.v. MN 0221098

### CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)  
RITIM YAPI INSAAT VE DIS TIC. LTD. STI  
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL  
**MANUFACTURER:** Zhangjiagang SPECCO tools Co.,Ltd.  
Room 414,No.9,Rennin East Road,yangshu Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000520210611  
**TECHNICAL REFERENCE:** RBT210611303MR-1/RBT210611303ER-1
- ISSET MARK:**



- CAUTION ABOUT CE MARKING** (Instruction for the Applicant who puts the product on the EU market):  
 The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.
- TYPE OF PRODUCT:** Cordless drill  
**TRADE MARK:**   
**MODEL(S):** SP12V-4010,SP12V-4010N,SP12V-4011,SP12V-4012,SP12V-4013,SP12V-4014,SP14V-4020,SP14V-4021,SP14V-4022,SP14V-4023,SP14V-4024,SP18V-4025,SP18V-4026,SP18V-4027,SP18V-4028,SP18V-4029,SP20V-4040,SP20V-4040A,SP20V-4040B,SP20V-4040N,SP20V-4041,SP20V-4041A,SP20V-4041B,SP20V-4041N
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)  
Machinery Directive 2006/42/EC; Electromagnetic Compatibility Directive 2014/30/EU  
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 62841-2-1:2018/A11:2019  
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/06/2021
- SIGNATURE:** Xiao Ming  
(On behalf of the Legal representative)

EXPIRY DATE: 10/06/2026

(On behalf of the Legal representative)



## ISSET S.r.l. Unipersonale

Sede Legale e Uffici  
Via Donatori di sangue, 9 - 46024 Moglia (MN)  
Tel. e fax +39 (0)376 588963  
www.iset-italia.com commerciale@iset-italia.com



Cap. soc. i.v. € 10.200,00  
Cod. Fisc. e P.A. Reg. Imprese 02 332 750 369  
REA 02 332 750 369  
Cap. soc. i.v. MN 0221098

### CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)  
RITIM YAPI INSAAT VE DIS TIC. LTD. STI  
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL  
**MANUFACTURER:** Zhangjiagang SPECCO tools Co.,Ltd.  
Room 414,No.9,Rennin East Road,yangshu Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.000520210310  
**TECHNICAL REFERENCE:** --
- ISSET MARK:**



- CAUTION ABOUT CE MARKING** (Instruction for the Applicant who puts the product on the EU market):  
 The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.
- TYPE OF PRODUCT:** HIGH PRESSURE WASHER  
**TRADE MARK:**   
**MODEL(S):** SP-2017, SP-2017A, SP-2017B, SP-2017C, SP-2018, SP-2018A, SP-2018B, SP-2018C, SP-2019, SP-2019A, SP-2019B, SP-2019C, SP-2020, SP-2020A, SP-2020B, SP-2020C, SP-2021, SP-2021A, SP-2021B, SP-2021C, SP-2022, SP-2022A, SP-2022B, SP-2022C
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)  
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU  
EN ISO 12100:2010, EN 60335-1:2014+A11:2014, EN 60335-2-79:2012, EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 62233:2008
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 10/03/2021
- SIGNATURE:** Xiao Ming  
(On behalf of the Legal representative)

EXPIRY DATE: 09/03/2026

(On behalf of the Legal representative)



## ISSET S.r.l. Unipersonale

Sede Legale e Uffici  
Via Donatori di sangue, 9 - 46024 Moglia (MN)  
Tel. e fax +39 (0)376 588963  
www.iset-italia.com commerciale@iset-italia.com



Cap. soc. i.v. € 10.200,00  
Cod. Fisc. e P.A. Reg. Imprese 02 332 750 369  
REA 02 332 750 369  
Cap. soc. i.v. MN 0221098

### CERTIFICATE

Certificat - Certificado- Сертификат - Zertifikat - 證書

- APPLICANT:** (who finally puts the product on the market)  
RITIM YAPI INSAAT VE DIS TIC. LTD. STI  
ATAKENT MAH. RESITPASA CAD. NO: 14 UMRANIYE 34760 ISTANBUL  
**MANUFACTURER:**  
Zhangjiagang SPECCO tools Co.,Ltd.  
Room 414,No.9,Rennin East Road,yangshu Town,Zhangjiagang City(Cathay Oriental Plaza)
- CERTIFICATE NO.:** ISETC.001020210511  
**TECHNICAL REFERENCE:** RBT210510204MR-1/RBT210510204ER-1
- ISSET MARK:**



- CAUTION ABOUT CE MARKING** (Instruction for the Applicant who puts the product on the EU market):  
 The label of the CE Marking on the left side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are compulsorily included into specific Directives or Regulations will be necessary to appoint a Notified Body.
- TYPE OF PRODUCT:** Mini Angle grinder  
**TRADE MARK:**   
**MODEL(S):** SP-5010,SP-5010A,SP-5011,SP-5011A,SP-5012,SP-5012A,SP-5013,SP-5013A,SP-5014,SP-5014A,SP-5015,SP-5015A,SP-5016,SP-5016A,SP-5017,SP-5017A,SP-5018,SP-5018A,SP-5019,SP-5019A
- LIST OF DIRECTIVES / REGULATIONS / STANDARDS** (as declared by the manufacturer itself)  
Machinery Directive 2006/42/EC; Low Voltage Directive 2014/35/EU; Electromagnetic Compatibility Directive 2014/30/EU  
EN ISO 12100:2010, EN 62841-1:2015/AC:2015, EN 60745-2-3:2011/A13:2015, EN 60204-1:2018  
EN 55014-1:2017/A11:2020, EN 55014-2:2015, EN 61000-3-2:2019, EN 61000-3-3:2013+A1:2019
- NOTE:** This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard BS EN ISO/IEC 17065:2012 or European Regulation 765/2008.
- REMARK:** Certificate is issued on voluntary application from the Client and it gives to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibilities.
- DATE OF ISSUE:** 11/05/2021
- SIGNATURE:** Xiao Ming  
(On behalf of the Legal representative)

EXPIRY DATE: 10/05/2026

(On behalf of the Legal representative)







**POWER**





R TOOLS



**Website**



**Catalogue**

■ **China Office**

**Zhangjiagang Specco Tools Co.,Ltd**

4th floor , No.16, Weisan East Road, Tongqin

Industrial Zone, Wuyi City, Zhejiang Province

Mob: +86 139 219 99979 Fax: +86 512 5617888

 @speccotools

 [www.speccotools.com](http://www.speccotools.com)

 [www.speccotools.com.cn](http://www.speccotools.com.cn)

 [info@speccotools.com](mailto:info@speccotools.com)